




**Face Recognition &
Fingerprint Time
Attendance and
Access Control
Terminal**



SCAN FACE



PROCESSING



Face



Fingerprint



Pin



Card

MAI-01



IP Waterproof Outdoor/Indoor both aluminium alloy Case 5 Inch HD IPS65 Touch Sreen

MAI-02



LED Frame plastic case Bell button 4.3 Inch IPS Touch Screen

MAI-05



AI Face Recognition & Fingerprint Type aluminium alloy case 5 inch HD IPS Touch screen

MAI-08



MiFare and EM card both 8 inch HD IPS Touchscreen

Features



Support face recognition for 5 person at same time, recognition speed is $\leq 0.2s$



Support QR code reader



Support WDR and support face recognition under strong light, dark light and Backlight.



Support TCP/IP, USB Link (WIFI Optional)



Support live body face detection, prevent human photo and video



Support face identification with wearing mask



Screen lock setting for automatic face detection



Desktop Software, Web Cloud and Mobile App

Specifications

Multiple Languages

English and other 16 types

Operation system

LINUX 3.10

Verification

Dynamic face recognition,
Biometric, RFID and password

Management Software

Standard
Professional

RAM

256 MB DDR3

Face Recognition Accuracy

99.70%

Card Capacity

5000 (+5000 Optional), ID Card
Standard IC Card Optional

Keypad

Touch Keypad

Password Capacity

5000 (+5000 Optional)

ROM

eMMC Flash 4GB

QR-CODE FOR VISITORS



SUPPORT MASK DEDUCTION



RECOGNITION SPEED < OR = 0.2S





Touchless biometrics such as Face recognition keep people moving through lobbies quickly and limit the number of surfaces touched to gain access. These features improve convenience, health and safety.



Support multi person (at most 5 person) face recognition at the same time and achieve the highest levels of safety



Support capture stranger's photo if he or she appears in the camera and upload photo to the software real time



Support set facial recognition distance close (around 0.8 m), middle (around 1.5m) far (around 2~3 m)